# Index to Volume 63

## The Journal of Heredity, 1972


Absence of cytoplasmic determination of the formation of megachromosomes in *Nicotiana,* D. U. Gerstel and J. A. Burns, 256.

Ackerman, W. L. and Haig Dermen, A fertile colchiploid from a sterile interspecific camellia hybrid, 55.

Adendritic melanocytes: A mutation in linkage group II of the fowl, J. A. Brumbaugh, Gina Chatterjee, and W. F. Hollander, 19.

Ahmed, S. U. and R. Aksel, Evidence of the absence of earliness genes in chromosomes 1B and 4A in two early wheat varieties, 287.

Aksel, R. and S. U. Ahmed, Evidence of the absence of earliness genes in chromosomes 1B and 4A in two early wheat varieties, 287.

**Animal Genetics:**

Animal models and genetic stocks program of NAS, 25.

Cats, of São Paulo, Brazil, 321.

*Chrysopa carnea,* dominant mutation modifying structural eye color, 63.

Cockroach, genetic studies of deformed-leg and broad-banded pronotum, 26.

Dogs: hereditary black hair follicular dysplasia, 43; Alaskan malmute chrondrodysplasia syndrome, 149.

*Drosophila:* salivary gland chromosome variation in *D. affinis* subgroup: B and E chromosomes of "western" and "eastern" *D. athabasca,* 3; effective lethal phase of the curly mutant in *D. melanogaster,* 100; banded polytene chromosomes in pericardial cells, 214; variation of alcohol dehydrogenase levels in species hybrids, 267; effect of gene dosage on level of alcohol dehydrogenase, 331.

Fish: *Misgurnus fossilis,* a tetraploid species, 92; albinism in rainbow trout, 152.

Fowl: adendritic melanocyte mutation in linkage group II, 19; spontaneous hypertension in chickens and turkeys, 35; inheritance of silver-laced Wyandotte plumage pattern in chickens, 179; registry of genetic stocks of *Gallus domesticus* in the U.S., 184; multiple trait semilethal in chickens, 209; early records of sex-linked inheritance, 223; hybridization of chickens and turkeys, 264; genetic variation in nicotinic acid requirements of chicks, 347.

Hamster: satin coat mutant in Syrian, 52; karyotypes of *Mesocricetus brandti* and hybridization within the genus, 73; hereditary hairlessness in Syrian golden, 215; hydrocephalus, a new mutation in Syrian golden, 344.

Horses: genetics of (Rev.), 140; inheritance of chin spot markings, 100.

Mice: genetic variation of major liver protein, 60; standard karyotype, 69; genetic relationships between inbred strains, 83; thin fur, a recessive mutant on chromosome 17, 97; high and low blood-pH selected lines, 109; flaky tail and varitint-waddler-J mutations in linkage group XVI, 135; asymmetrical spotting and direction of circling in varitint-waddler, 167; spermatogenesis in strains with high and low abnormal spermatozoa, 172; new congenital cataract, 197; location of velvet coat mutant in linkage group VI, 212; hybrid reeler, 241; location of theta antigen gene, 259; reduction in recombination due to a deletion in a wild colony, 297; effect of temperature stress on growth, reproduction, and adrenocortical function, 324; evaluation of a new method for estimating the frequency of induced dominant lethal mutations, 339; comparison of multiple trait selection methods, 366.

*Mormoniella,* chromosome identification, 217.

Mosquitoes: translocation homozygotes in *Aedes aegypti,* 159; hybridization between *Anopheles punctipennis* and *A. perplexens,* 191; ebony, nonlethal recessive melanotic mutant, 275; radiation-induced paracentric inversion in *Aedes aegypti,* 247.

Pigeons, genetic investigation of roller and tumbler, 351.

Quail, inheritance of star-gazing Japanese, 87.

Rats: genetic control of major electrophoretic component of plasma esterase, 41; chromosomes of *Rattus blanfordi,* 44; inheritance of response to lysine-deficient diet, 119; genetic factors involved in heterochromia in Norway, 189.

Sheep: inheritance of cryptorchism in small crossbred flock, 141; frequency of hemoglobin types in five breeds, 202.

Shrimp, genetic crossing over in male brine, 47.

Vole, two coat color variants in the prairie, 48.

Animal models and genetic stocks program of the National Academy of Sciences, 25.

Anther and pollen development of male-sterile *Phaseolus atropurpureus,* A. J. Pritchard and E. M. Hutton, 280.

Arisumi, Toru, Stabilities of colchicine-induced teraploid and cytochimeral daylilies, 15.

Asymmetrical spotting and direction of circling in the varitint-waddler mouse, A. R. Cools, 167.

Award of the Meyer Memorial Medal to Donvan S. Correll, 337.

Baker, Richard A., *et al.,* The genetics of ebony, a nonlethal recessive melanotic mutant in a mosquito, 275.

Banded polytene chromosomes in the pericardial cells of *Drosophila,* M. P. Kambysellis and M. R. Wheeler, 214.

Banding patterns in human chromosomes: Production by proteolytic enzymes, C.L.Y. Lee, J. P. Welch, and E.J.T. Winsor, 296.

Bartke, Andrzej and Halina Krzanowska, Spermatogenesis in mouse strains with high and low abnormal spermatozoa, 172.

Beadle, George W., Awarded Donald F. Jones Medal, 330.

Becker, Walter A. and Lewis K. Shumway, Innovative methods of learning in a general genetics course, 122.

Bhambhani, R., *et al.,* A familial occurrence of multiple polyposis, 303.

Bird, L. S., *et al.,* Genetic basis for an 11:5 dihybrid ratio observed in *Gossypium hirsutum,* 300.

Blankenhorn, Elizabeth P. and Tommy C. Douglas, Location of the gene for theta antigen in the mouse, 259.

Bogart, Ralph, *et al.*, Frequency of hemoglobin types in five breeds of sheep, 202.
Bohorfoush, Joseph G., *et al.*, Mosaic 47 ♀ XX (X-p) and the Lyon hypothesis, 381.
Brewbaker, James L. and Timothy Macdonald, Isoenzyme polymorphism in flowering plants: VIII. Genetic control and dimeric nature of transaminase hybrid maize isoenzymes, 11.
Bridges, W. R. and Bruno von Limbach, Inheritance of albinism in rainbow trout, 152.
Brown, R. G., *et al.*, Genetics of the Alaskan malmute chondrodysplasia syndrome, 149.
Brumbaugh, J. A., *et al.*, Adendritic melanocytes: A mutation in linkage group II of the fowl, 19.
Burk, L. G., *et al.*, Diploidized haploids from aseptically cultured anthers of *Nicotiana tabacum:* A colchicine method applicable to plant breeding, 355.
Burns, J. A.: Preleptotene chromosome contraction in *Nicotiana* species 175; and D. U. Gerstel. On the absence of cytoplasmic determination of the formation of megachromosomes in *Nicotiana*, 256.

Canine hereditary black hair follicular dysplasia, Victor J. Selmanowitz, Kent M. Kramer, and Norman Orentreich, 43.
Caviness, V. S., Jr., *et al.*, The hybrid reeler mouse, 241.
Chaplin, J. F., *et al.*, Diploidized haploids from aseptically cultured anthers of *Nicotiana tabacum:* A colchicine method applicable to plant breeding, 355.
Chatterjee, Gina, *et al.*, Adendritic melanocytes: A mutation in linkage group II of the fowl, 19.
Chirolas, Darlene and M. Grossman, Computer assisted instruction in teaching population genetics, 145.
Christensen, K. and P. Sorensen, A definition of degree of heredity for a quantitative character in relationship to the classical coefficient of heritability, 383.
Chromosome identification in *Mormoniella*, Choppala D. Johnson and David T. Ray, 217.
Chromosome numbers in anther-derived haploids of two *Nicotiana* species, *N. tabacum* and *N. otophora* Gris., G. B. Collins, Paul D. Legg, and M. J. Kasperbauer, 113.
Chromosomes of *Rattus blanfordi*, S. R. V. Rao and S. C. Lakhotia, 44.
Claxton, J. H. and N. T. M. Yeates, The inheritance of cryptorchism in a small crossbred flock of sheep, 141.
Cohen, Carl and Robert G. Tissot, A new congenital cataract in the mouse, 197.
Collins, G. B., *et al.*, Chromosome numbers in anther-derived haploids of two *Nicotiana* species, *N. tabacum* and *N. otophora* Gris., 113.
Collins, W. M. and T. F. Savage, Inheritance of star-gazing in Japanese quail, 87.
Committee on Standardized Genetic Nomenclature for Mice, Standard karyotype of the mouse, *Mus musculus*, 69.
Comparison of multiple trait selection methods in the mouse, D. P. Doolittle, S. P. Wilson, and Linda L. Hulbert, 366.
Computer assisted instruction in teaching population genetics, Darlene Chirolas and M. Grossman, 145.
Computerized genetics laboratory, Roger L. Hoagland and Russell V. Skavaril, 221.
Connelly, M. E. *et al.*, Karyotypes of *Mesocricetus brandti* and hybridization within the genus, 73.
Cools, A. R., Asymmetrical spotting and direction of circling in the varitint-waddler mouse, 167.
Crow, James F., The dilemma of nearly neutral mutations: How important are they for evolution and human welfare?, 306.
Cytoplasmic effects on anther numbers in interspecific hybrids of cotton: III. *Gossypium longicalyx*, Vesta G. Meyer, 33.
Cytoplasmic male sterility in sorghum: I. Callose behavior in fertile and sterile anthers, H. E. Warmke and Mary Ann Overman, 103; II. Tapetal behavior in fertile and sterile anthers, Mary Ann Overman and H. E. Warmke, 227.

Definition of degree of heredity for a quantitative character in relationship to the classical coefficient of heritability, K. Christensen and P. Sorensen, 383.
Dermen, Haig and W. L. Ackerman, A fertile colchiploid from a sterile interspecific camellia hybrid, 55.
Deyoe, Charles, *et al.*, Genetic control of meiotic irregularities in Mediterranean wheat, 271.
Dilemma of nearly neutral mutations; How important are they for evolution and human welfare?, James F. Crow, 306.
Diploidized haploids from aseptically cultured anthers of *Nicotiana tabacum:* A colchicine method applicable to plant breeding, L. G. Burk, G. R. Gwynn, and J. F. Chaplin, 355.
Dominant mutation modifying the structural eye color in *Chrysopa carnea*, Ellis G. MacLeod and Joseph K. Sheldon, 63.
Donnelly, E. D., *et al.*, Inheritance of hard seed in *Vicia*, 361.
Doolittle, D. P.: *et al.*, Effect of temperature stress on growth, reproduction, and adrenocortical function of mice, 324; *et al.*, A comparison of multiple trait selection methods in the mouse, 366.
Douglas, Tommy C. and Elizabeth P. Blankenhorn, Location of the gene for theta antigen in the mouse, 259.
Dunn, T. G., *et al.*, Effect of temperature stress on growth, reproduction, and adrenocortical function of mice, 324.

Effect of aminocentesis, selective abortion, and reproductive compensation on the incidence of autosomal recessive diseases, G. W. Hagy and J. F. Kidwell, 185.
Effect of gene dosage on level of alcohol dehydrogenase in *Drosophila*, Sarah Bedichek Pipkin and Nathaniel E. Hewitt, 331.
Effect of temperature stress on growth, reproduction, and adrenocortical function of mice, S. P. Wilson, D. P. Doolittle, T. G. Dunn, and P. V. Malven, 324.
Effective lethal phase of the curly mutant in *Drosophila melanogaster*, J. F. Kidwell, 100.
El Dorado pine: an aneuploid Monterey pine cultiver, LeRoy C. Johnson and LeRoy C. Saylor, 293.
Eliminating viability differences in computing recombination percentages, Alan M. Hastings, 129.
Entrikin, Richard K. and Lawrence C. Erway, A genetic investigation of roller and tumbler pigeons, 351.
Erway, Lawrence C. and Richard K. Entrikin, A genetic investigation of roller and tumbler pigeons, 351.
Estimating the frequency of induced dominant lethal mutations in mice: II. The evaluation of a new method, E. R. Soares, 339.
Evidence of the absence of earliness genes in chromosomes 1B and 4A in two early wheat varieties, S. U. Ahmed and R. Aksel, 287.
Evolution and improvement of cultivated amaranths, M. Pal and T. N. Khoshoo, 78.

Familial occurrence of multiple polyposis, R. Bhambhani, S. M. Singh, J. Kuspira, and H. Links, 303.
Fernardez, Andres R., *et al.*, Mosaic 47 ♀ XX (X-p) and the Lyon hypothesis, 381.
Fertile colchiploid from a sterile interspecific camellia hybrid, W. L. Ackerman and Haig Dermen, 55.
Finger ridges of Cuna moon-child albinos, Clyde Keeler, 98.

Fletch, S. M., *et al.*, Genetics of the Alaskan malmute chondrodysplasia syndrome, 149.
Frequency of hemoglobin types in five breeds of sheep, Joe W. Templeton, Donald Price, and Ralph Bogart, 202.
Fuchs, J. A., *et al.*, Genetic basis for an 11:5 dihybrid ratio observed in *Gossypium hirsutum*, 300.
Further studies on hybridization of chickens and turkeys, Marlow W. Olsen, 264.

**General Genetics:**

Computer assisted instruction in teaching population genetics, 145.
Computerized genetics laboratory, 221.
Definition of degree of heredity for a quantitative character in relationship to the classical coefficient of heritability, 383.
Eliminating viability differences in computing recombination percentages, 129.
Innovative methods of learning in a general genetics course, 122.
Teaching meiosis and mitosis using *Rhoeo spathacea* as a tool, 375.

Genetic basis for an 11:5 dihybrid ratio observed in *Gossypium hirsutum*, J. A. Fuchs, J. D. Smith, and L. S. Bird, 300.
Genetic control of meiotic irregularities in Mediterranean wheat, G. H. Liang, Charles Deyoe, and Hai-Yen Geng, 271.
Genetic control of the major electrophoretic component of rat plasma esterase, James E. Womack, 41.
Genetic crossing over in male brine shrimp, Richard D. Squire, 47.
Genetic factors involved in heterochromia in the Norway rat, Randolph M. Macy, Allan J. Stanley, and Laurence G. Gumbreck, 189.
Genetic investigation of roller and tumbler pigeons, Richard K. Entrikin and Lawrence C. Erway, 351.
Genetic relationships between inbred strains of mice, B. A. Taylor, 83.
Genetic variability in the German cockroach: VIII. Studies of deformed-leg and broad-banded pronotum, Mary H. Ross, 26.
Genetic variation in nicotinic acid requirements of chicks, M. C. Nesheim, 347.
Genetic variation of a major liver protein in the mouse, F. H. Wilcox, 60.
Genetics of ebony, a nonlethal recessive melanotic mutant in a mosquito, Richard K. Sakai, Richard H. Baker, and M. Perwaiz Iqbal, 275.
Genetics of the Alaskan malmute chondrodysplasia syndrome, R. E. Subden, S. M. Fletch, M. A. Smart, and R. G. Brown, 149.
Genetics of the diageotropica mutant in the tomato, R. W. Zobel, 94.
Genetics of the horse (Rev.), W. Ralph Singleton, 140.
Geng, Hai-Yen, *et al.*, Genetic control of meiotic irregularities in Mediterranean wheat, 271.
Gerstel, D. U. and J. A. Burns, On the absence of cytoplasmic determination of the formation of megachromosomes in *Nicotiana*, 256.
Glossary for tree improvement workers, 263.
Gray, Elmer, Influence of sex of first two children on family size, 91.
Gregory, Walton C., Orland E. White, 1885–1972 (Obit.), 188.
Grogan, C. O. and W. Rumball, Inheritance of temperature-sensitive virescent mutant in *Zea mays* L., 153.
Grossman, M. and Darlene Chirolas, Computer assisted instruction in teaching population genetics, 145.
Gumbreck, Laurence G., *et al.*, Genetic factors involved in heterochromia in the Norway rat, 189.
Gwynn, G. R., *et al.*, Diploidized haploids from aseptically cultured anthers of *Nicotiana tabacum:* A colchicine method applicable to plant breeding, 355.

Hagy, G. W. and J. F. Kidwell, Effect of amniocentesis, selective abortion, and reproductive compensation on the incidence of autosomal recessive diseases, 185.
Hallinan, E., *et al.*, Translocation homozygotes in the yellow fever mosquito, *Aedes aegypti*, 159.
Harbers, L. H., *et al.*, Inheritance of response to lysine-deficient diet by rats, 119.
Hastings, Alan M., Eliminating viability differences in computing recombination percentages, 129.
Haunold, Alfred, Self fertilization in a normally dioecious species, *Humulus lupulus* L., 283.
Hereditary hairlessness in the Syrian golden hamster, C. William Nixon, 215.
Hewitt, Nathaniel E.: and Sarah Bedichek Pipkin, Variation of alcohol dehydrogenase levels in *Drosophila* species hybrids, 267; and Sarah Bedichek Pipkin, Effect of gene dosage on level of alcohol dehydrogenase in *Drosophila*, 331.
High and low blood-pH selected lines of mice: The fate of pH and sex ratio following relaxed selection with intensive breeding, H. G. Wolfe and J. A. Weir, 109.
Hoagland, Roger L. and Russell V. Skavaril, A computerized genetics laboratory, 221.
Hollander, W. F.: *et al.*, Adendritic melanocytes: A mutation in linkage group II of the fowl, 19; and Marc Key, Thin fur, a recessive mutant on chromosome 17 of the mouse, 97; and Carol Stieler, Location of the velvet coat mutant in linkage group VI of the mouse, 212.
Hulbert, Linda L., *et al.*, A comparison of multiple trait selection methods in the mouse, 366.

**Human Genetics:**

Autosomal recessive diseases, effect of amniocentesis, selective abortion, and reproductive compensation on incidence, 185.
Chromosomes: XXXXY/XXXY Klinefelter mosaic, 218; banding patterns produced by proteolytic enzymes, 296; mosaic 47♀ XX (X-p) and the Lyon hypothesis, 381.
Finger ridges of Cuna moon-child albinos, 98.
Influence of sex of first two children on family size, 91.
Multiple polyposis, familial occurrence, 303.
Mutations, nearly neutral mutations in relation to evolution and human welfare, 306.

Hutton, E. M. and A. J. Pritchard, Anther and pollen development in male-sterile *Phaseolus atropurpureus*, 280.
Hybridization between two species of mosquitoes, *Anopheles punctipennis* Say and *Anopheles perplexens* Ludlow, 191.
Hybrid reeler mouse, V. S. Caviness, Jr., D. K. So, and R. L. Sidman, 241.
Hydrocephalus: A new mutation in the Syrian golden hamster, Chai H. Yoon and Jeanne Slaney, 344.

Identity of the genome shared by African and new world species of *Hibiscus* sect. *Furcaria*, Diana W. Martin and Margaret Y. Menzel, 235.
Influence of sex of first two children on family size, Elmer Gray, 91.
Inheritance of albinism in rainbow trout, W. R. Bridges and Bruno von Limbach, 152.
Inheritance of chin spot markings in horses, Ann Trommershausen Smith, 100.
Inheritance of cryptorchism in a small crossbred flock of sheep, J. H. Claxton and N. T. M. Yeates, 141.

Inheritance of hard seed in *Vicia*, E. D. Donnelly, J. E. Watson, and John A. McGuire, 361.
Inheritance of response to lysine-deficient diet by rats, S. A. Shiehzadeh, L. H. Harbers, and R. R. Schalles, 119.
Inheritance of seed coat thickness in cowpeas, Olatunde A. Ojomo, 147.
Inheritance of star-gazing in Japanese quail, T. F. Savage and W. M. Collins, 87.
Inheritance of temperature-sensitive virescent mutant in *Zea mays* L., W. Rumball and C. O. Grogan, 153.
Inheritance of the silver-laced Wyandotte plumage pattern, Jay W. Moore and J. Robert Smyth, Jr., 179.
Inheritance of two peroxidases in oat leaves, Rex L. Smith, 317.
Inheritance of waxless in triticale, K. C. Yeung and E. N. Larter, 384.
Innovative methods of learning in a general genetics course, Walter A. Becker and Lewis K. Shumway, 122.
Iqbal, M. Perwaiz, *et al.*, The genetics of ebony, a nonlethal recessive melanotic mutant in a mosquito, 275.
Isoenzyme polymorphism in flowering plants: VIII. Genetic control and dimeric nature of transaminase hybrid maize isoenzymes, Timothy Macdonald and James L. Brewbaker, 11.

Jeanne, Robert L. and Neil B. Todd, Some cats of São Paulo, Brazil, 321.
Johnson, Choppala D. and David T. Ray, Chromosome identification in *Mormoniella*, 217.
Johnson, LeRoy C. and LeRoy C. Saylor, El Dorado pine: an aneuploid Monterey pine cultiver, 293.

Kambysellis, M. P. and M. R. Wheeler, Banded polytene chromosomes in the pericardial cells of *Drosophila*, 214.
Karyotypes of *Mesocricetus brandti* and hybridization within the genus, N. B. Todd, C. W. Nixon, D. A. Mulvaney, and M. E. Connelly, 73.
Kasperbauer, M. J., *et al.*, Chromosome numbers in anther-derived haploids of two *Nicotiana* species, *N. tabacum* and *N. otophora* Gris., 113.
Keeler, Clyde: Finger ridges of Cuna moon-child albinos, 98; An XXXXY/XXXY Klinefelter mosaic in man, 218; Mosaic 47♀ XX (X-p) and the Lyon hypothesis, 381.
Key lecture announced, 72.
Key Lecture: The dilemma of nearly neutral mutations: How important are they for evolution and human welfare?, James F. Crow, 306.
Key, Marc and W. F. Hollander, Thin fur, a recessive mutant on chromosome 17 of the mouse, 97.
Khosh-khui, M. and M. Niknejad, The relationship of seed color inheritance to flower color in chickpeas, 155.
Khoshoo, T. N. and M. Pal, Evolution and improvement of cultivated amaranths, 78.
Kidwell, J. F.: The effective lethal phase of the curly mutant in *Drosophila melanogaster*, 100; and G. W. Hagy, Effect of amniocentesis, selective abortion, and reproductive compensation on the incidence of autosomal recessive diseases, 185.
Kitzmiller, J. B. and R. D. Kreutzer, Hybridization between two species of mosquitoes, *Anopheles punctipennis* Say and *Anopheles perplexens* Ludlow, 191.
Kramer, Kent M., *et al.*, Canine hereditary black hair follicular dysplasia, 43.
Kreutzer, R. D. and J. B. Kitzmiller, Hybridization between two species of mosquitoes, *Anopheles punctipennis* Say and *Anopheles perplexens* Ludlow, 191.
Krzanowska, Halina and Andrzej Bartke, Spermatogenesis in mouse strains with high and low abnormal spermatozoa, 172.
Kuspira, J., *et al.*, A familial occurrence of multiple polyposis, 303.

Lakhotia, S. C. and S.R.V. Rao, Chromosomes of *Rattus blanfordi*, 44.
Lam, Shue-Lock, Meiosis in a diploid potato, 205.
Lancaster, F. M., Some early records of sex-linked inheritance in fowl, 223.
Lane, Priscilla W., Two new mutations in linkage group XVI of the house mouse: Flaky tail and varitint-waddler-J, 135.
Larter, E. N. and K. C. Yeung, Inheritance of waxless in triticale, 384.
Lee, C.L.Y., *et al.*, Banding patterns in human chromosomes: Production by proteolytic enzymes, 296.
Legg, Paul D., *et al.*, Chromosome numbers in anther-derived haploids of two *Nicotiana* species, *N. tabacum* and *N. otophora* Gris., 113.
Liang, G. H., *et al.*, Genetic control of meiotic irregularities in Mediterranean wheat, 271.
Limbach, Bruno von, and W. R. Bridges, Inheritance of albinism in rainbow trout, 152.
Links, H., *et al.*, A familial occurrence of multiple polyposis, 303.
Location of the gene for theta antigen in the mouse, Elizabeth P. Blankenhorn and Tommy C. Douglas, 259.
Location of the velvet coat mutant in linkage group VI of the mouse, Carol Stieler and W. F. Hollander, 212.
Lorimer, Nancy, *et al.*, Translocation homozygotes in the yellow fever mosquito, *Aedes aegypti*, 159.

Macdonald, Timothy and James L. Brewbaker, Isoenzyme polymorphism in flowering plants: VIII. Genetic control and dimeric nature of transaminase hybrid maize isoenzymes, 11.
MacLeod, Ellis G. and Joseph K. Sheldon, A dominant mutation modifying the structural eye color in *Chrysopa carnea*, 63.
Macy, Randolph, M., *et al.*, Genetic factors involved in heterochromia in the Norway rat, 189.
Malven, P. V., *et al.*, Effect of temperature stress on growth, reproduction, and adrenocortical function of mice, 324.
Martin, Diana W. and Margaret Y. Menzel, Identity of the genome shared by African and new world species of *Hibiscus* sect. *Furcaria*, 235.
McGibbon, W. H. and R. M. Shackelford, A mutiple trait semilethal in fowl, 209.
McGivern, James J. and Karamjit S. Rai, A radiation-induced paracentric inversion in *Aedes aegypti* (L.): Cytogenetic and interchromosomal effects, 247.
McGuire, John A., *et al.*, Inheritance of hard seed in *Vicia*, 361.
Meiosis in a diploid potato, Shue-Lock Lam, 205.
Menzel, Margaret Y. and Diana W. Martin, Identity of the genome shared by African and new world species of *Hibiscus* sect. *Furcaria*, 235.
Mertens, Thomas R.: Student investigations of speciation in *Tragopogon*, 39; and Sandra K. Satterfield, *Rhoeo spathacea*, a tool for teaching meiosis and mitosis, 375.
Meyer Medal awarded to Donovan S. Correll, 337.
Meyer, Vesta, Cytoplasmic effects on anther numbers in interspecific hybrids of cotton: III. *Gossypium longicalyx*, 33.
Miller, Dwight D. and Robert A. Voelker, Salivary gland chromosome variation in the *Drosophila affinis* subgroup: V. The B and E chromosomes of "western" and "eastern" *Drosophila athabasca*, 3.
*Misgurnus fossilis*, a tetraploid fish species, P. Raicu and Elena Taisescu, 92.

Mohr, Tove, Hermann J. Muller, 1890–1967: An appreciation by a friend, 132.
Moore, Jay W. and J. Robert Smyth, Jr., Inheritance of the silver-laced Wyandotte plumage pattern, 179.
Mosaic 47♀ XX (X-p) and the Lyon hypothesis, Joseph G. Bohorfoush, Andres R. Fernandez, and Clyde Keeler, 381.
Hermann J. Muller, 1890–1967: An appreciation by a friend, Tove Mohr, 132.
Mulvaney, D. A., *et al.*, Karyotypes of *Mesocricetus brandti* and hybridization within the genus, 73.
Mutiple trait semilethal in fowl, W. H. McGibbon and R. M. Shackelford, 209.

Negative results sought by haploids information service, 90.
Nesheim, M. C., Genetic variation in nicotinic acid requirements of chicks, 347.
New congenital cataract in the mouse, Robert G. Tissot and Carl Cohen, 197.
Niknejad, M. and M. Khosh-khui, The relationship of seed color inheritance to flower color in chickpeas, 155.
Nixon, C. W., *et al.*, Karyotypes of *Mesocricetus brandti* and hybridization within the genus, 73.
Nixon, C. William, Hereditary hairlessness in the Syrian golden hamster, 215.

Ojomo, Olatunde A., Inheritance of seed coat thickness in cowpeas, 147.
Olsen, Marlow W., Further studies on hybridization of chickens and turkeys, 264.
Orentreich, Norman, *et al.*, Canine hereditary black hair follicular dysplasia, 43.
Overman, Mary Ann: and H. E. Warmke, Cytoplasmic male sterility in sorghum: I. Callose behavior in fertile and sterile anthers, 103; II. Tapetal behavior in fertile and sterile anthers, 227.

Pal, M. and T. N. Khoshoo, Evolution and improvement of cultivated amaranths, 78.
Pipkin, Sarah Bedichek: and Nathaniel E. Hewitt, Variation of alcohol dehydrogenase levels in *Drosophila* species hybrids, 267; Effect of gene dosage on level of alcohol dehydrogenase in *Drosophila*, 331.

**Plant Genetics**

Amaranths, evolution and improvement of cultivated, 78.
Barley, revision of linkage map of chromosome 5 by means of telotrisomic analysis, 373.
Camellia, fertile colchiploid from sterile interspecific hybrid, 55.
Chickpeas, relationship of seed color inheritance to flower color, 155.
Cotton: cytoplasmic effects on anther numbers in interspecific hybrids, 33; genetic basis for an 11:5 dihybrid ratio in *Gossypium hirsutum*, 300.
Cowpeas, inheritance of seed coat thickness, 147.
Daylilies, stabilities of colchicine-induced tetraploid and cytochimeral, 15.
*Hibiscus*, identity of genome shared by African and new world species, 235.
Hop, self fertilization in normally dioecious *Humulus lupulus*, 283.
Maize: isoenzyme polymorphism, 11; inheritance of temperature-sensitive virescent mutant, 153.
*Nicotiana:* chromosome numbers in anther-derived haploids of *N. tabacum* and *N. otophora*, 113; preleptotene chromosome contraction, 175; absence of cytoplasmic determination of formation of megachromosomes, 256; diploidized haploids from aseptically cultured anthers, a colchicine method applicable to plant breeding, 355.
Oat, inheritance of two peroxidases in leaves of *Avena sativa* and *A. byzantina*, 317.
*Phaseolus atropurpureus*, anther and pollen development in male-sterile, 280.
Pine tree, aneuploid Monterey cultiver in El Dorado, 293.
Potato, meiosis in diploid, 205.
Sorghum: cytoplasmic male sterility: callose behavior in fertile and sterile anthers, 103; tapetal behavior in fertile and sterile anthers, 227.
Tomato: diageotropica mutant, 94.
*Tragopogon*, student investigations of speciation, 39.
*Vicia:* inheritance of hard seed, 361.
Wheat: genetic control of meiotic irregularities in Mediterranean, 271; absence of earliness genes in chromosomes 1B and 4A in two early varieties, 287.
Preleptotene chromosome contraction in *Nicotiana* species, J. A. Burns, 175.
Price, Donald, *et al.*, Frequency of hemoglobin types in five breeds of sheep, 202.
Pritchard, A. J. and E. M. Hutton, Anther and pollen development in male-sterile *Phaseolus atropurpureus*, 280.

Radiation-induced paracentric inversion in *Aedes aegypti* (L.): Cytogenetic and interchromosomal effects, James J. McGivern and Karamjit S. Rai, 247.
Raicu, P. and Elena Taisescu, *Misgurnus fossilis*, a tetraploid fish species, 92.
Rai, K. S.: *et al.*, Translocation homozygotes in the yellow fever mosquito, *Aedes aegypti*, 159; and James J. McGivern, A radiation-induced paracentric inversion in *Aedes aegypti* (L.): Cytogenetic and interchromosomal effects, 247.
Rao, S. R. V. and S. C. Lakhotia, Chromosomes of *Rattus blanfordi*, 44.
Ray, David T. and Choppala D. Johnson, Chromosome identification in *Mormoniella*, 217.
Reduction in recombination due to a deletion in a colony of wild mice, Margaret E. Wallace, 297.
Relationship of seed color inheritance to flower color in chickpeas, M. Niknejad and M. Khosh-khui, 155.
Revision of linkage map of chromosome 5 in barley by means of telotrisomic analysis, T. Tsuchiya, 373.
*Rhoeo spathacea:* A tool for teaching meiosis and mitosis, Sandra K. Satterfield and Thomas R. Mertens, 375.
Robinson, Roy, Satin—a new coat mutant in the Syrian hamster, 52.
Ross, Mary H., Genetic variability in the German cockroach: VIII. Studies of deformed-leg and broad-banded pronotum, 26.
Rumball, W. and C. O. Grogan, Inheritance of temperature-sensitive virescent mutant in *Zea mays* L., 153.

Sakai, Richard K., *et al.*, The genetics of ebony, a nonlethal recessive melanotic mutant in a mosquito, 275.
Salivary gland chromosome variation in the *Drosophila affinis* subgroup: V. The B and E chromosomes of "western" and "eastern" *Drosophila athabasca*, Dwight D. Miller and Robert A. Voelker, 3.
Satin—a new coat mutant in the Syrian hamster, Roy Robinson, 52.
Satterfield, Sandra K. and Thomas R. Mertens, *Rhoeo spathacea:* A tool for teaching meiosis and mitosis, 375.
Savage, T. F. and W. M. Collins, Inheritance of star-gazing in Japanese quail, 87.
Saylor, LeRoy C. and LeRoy C. Johnson, El Dorado pine: an aneuploid Monterey pine cultiver, 293.
Schalles, R. R., *et al.*, Inheritance of response to lysine-deficient diet by rats, 119.

Schlager, Gunther, Spontaneous hypertension in laboratory animals, 35.
Self fertilization in a normally dioecious species, *Humulus lupulus* L., Alfred Haunold, 283.
Selmanowitz, Victor J., *et al.*, Canine hereditary black hair follicular dysplasia, 43.
Semeonoff, Robert, Two coat color variants in the prairie vole, 48.
Shackelford, R. M. and W. H. McGibbon, A mutiple trait semilethal in fowl, 209.
Sheldon, Joseph K. and Ellis G. MacLeod, A dominant mutation modifying the structural eye color in *Chrysopa carnea*, 63.
Shiehzadeh, S. A., *et al.*, Inheritance of response to lysine-deficient diet by rats, 119.
Shumway, Lewis K. and Walter A. Becker, Innovative methods of learning in a general genetics course, 122.
Sidman, R. L., *et al.*, The hybrid reeler mouse, 241.
Singh, S. M., *et al.*, A familial occurrence of multiple polyposis, 303.
Singleton, W. Ralph, Genetics of the horse (Rev.), 140.
Skavaril, Russell V. and Roger L. Hoagland, A computerized genetics laboratory, 221.
Slaney, Jeanne and Chai H. Yoon, Hydrocephalus: a new mutation in the Syrian golden hamster, 344.
Smart, M. A., *et al.*, Genetics of the Alaskan malmute chondrodysplasia syndrome, 149.
Smith, Ann Trommershausen, Inheritance of chin spot markings in horses, 100.
Smith, J. D., *et al.*, Genetic basis for an 11:5 dihybrid ratio observed in *Gossypium hirsutum*, 300.
Smith, Rex L., The inheritance of two peroxidases in oat leaves, 317.
Smyth, J. Robert Jr., and Jay W. Moore, Inheritance of the silver-laced Wyandotte plumage pattern, 179.
Soares, E. R., Estimating the frequency of induced dominant lethal mutations in mice: II. The evaluation of a new method, 339.
So, D. K., *et al.*, The hybrid reeler mouse, 241.
Some cats of São Paulo, Brazil, Neil B. Todd and Robert L. Jeanne, 321.
Some early records of sex-linked inheritance in fowl, F. M. Lancaster, 223.
Sorensen, P. and K. Christensen, A definition of degree of heredity for a quantitative character in relationship to the classical coefficient of heritability, 383.
Spermatogenesis in mouse strains with high and low abnormal spermatozoa, Andrzej Bartke and Halina Krzanowska, 172.
Squire, Richard D., Genetic crossing over in male brine shrimp, 47.
Stabilities of colchicine-induced tetraploid and cytochimeral daylilies, Toru Arisumi, 15.
Standard karyotype of the mouse, *Mus musculus*, Committee on Standardized Genetic Nomenclature for Mice, 69.
Stanley, Allan J., *et al.*, Genetic factors involved in heterochromia in the Norway rat, 189.
Stieler, Carol and W. F. Hollander, Location of the velvet coat mutant in linkage group VI of the mouse, 212.
Student investigations of speciation in *Tragopogon*, Thomas R. Mertens, 39.
Subden, R. E., *et al.*, Genetics of the Alaskan malmute chondrodysplasia syndrome, 149.
Sudden infant death syndrome, 279.
Symposium on biomathematics and computer science in the life sciences, 90.

Taisescu, Elena and P. Raicu, *Misgurnus fossilis*, a tetraploid fish species, 92.
Taylor, B. A., Genetic relationships between inbred strains of mice, 83.
Templeton, Joe W., *et al.*, Frequency of hemoglobin types in five breeds of sheep, 202.
Thin fur, a recessive mutant on chromosome 17 of the mouse, Marc Key and W. F. Hollander, 97.
Tissot, Robert G. and Carl Cohen, A new congenital cataract in the mouse, 197.
Todd, N. B.: *et al.*, Karyotypes of *Mesocricetus brandti* and hybridization within the genus, 73; and Robert L. Jeanne, Some cats of São Paulo, Brazil, 321.
Translocation homozygotes in the yellow fever mosquito, *Aedes aegypti*, Nancy Lorimer, E. Hallinan, and K. S. Rai, 159.
Tsuchiya, T., Revision of linkage map of chromosome 5 in barley by means of telotrisomic analysis, 373.
Two coat color variants in the prairie vole, Robert Semeonoff, 48.
Two new mutations in linkage group XVI of the house mouse: Flaky tail and varitint-waddler-J, Priscilla W. Lane, 135.

Variation of alcohol dehydrogenase levels in *Drosophila* species hybrids, Sarah Bedichek Pipkin and Nathaniel E. Hewitt, 267.
Voelker, Robert A. and Dwight D. Miller, Salivary gland chromosome variation in the *Drosophila affinis* subgroup: V. The B and E chromosomes of "western" and "eastern" *Drosophila athabasca*, 3.

Wallace, Margaret E., Reduction in recombination due to a deletion in a colony of wild mice, 297.
Warmke, H. E.: and Mary Ann Overman, Cytoplasmic male sterility in sorghum: I. Callose behavior in fertile and sterile anthers, 103; II. Tapetal behavior in fertile and sterile anthers, 227.
Watson, J. E., *et al.*, Inheritance of hard seed in *Vicia*, 361.
Weir, J. A. and H. G. Wolfe, High and low blood-pH selected lines of mice: The fate of pH and sex ratio following relaxed selection with intensive breeding, 109.
Welch, J. P., *et al.*, Banding patterns in human chromosomes: Production by proteolytic enzymes, 296.
Wheeler, M. R. and M. P. Kambysellis, Banded polytene chromosomes in the pericardial cells of *Drosophila*, 214.
White, Orland E., 1885–1972 (Obit.), Walton C. Gregory, 188.
Wilcox, F. H., Genetic variation of a major liver protein in the mouse, 60.
Wilson, S. P., *et al.*: Effect of temperature stress on growth, reproduction, and adrenocortical function of mice, 324; A comparison of multiple trait selection methods in the mouse, 366.
Winsor, E.J.T., *et al.*, Banding patterns in human chromosomes: Production by proteolytic enzymes, 296.
Wolfe, H. G. and J. A. Weir, High and low blood-pH selected lines of mice: The fate of pH and sex ratio following relaxed selection with intensive breeding, 109.
Womack, James E., Genetic control of the major electrophoretic component of rat plasma esterase, 41.

XXXXY/XXXY Klinefelter mosaic in man, Clyde Keeler, 218.

Yeates, N. T. M. and J. H. Claxton, The inheritance of cryptorchism in a small crossbred flock of sheep, 141.
Yeung, K. C. and E. N. Larter, Inheritance of waxless in triticale, 384.
Yoon, Chai H. and Jeanne Slaney, Hydrocephalus: a new mutation in the Syrian golden hamster, 344.

Zobel, R. W., Genetics of the diageotropica mutant in the tomato, 94.